

V1 and V2 API Comparison

v4.x		Operation	v5.0	
V1 Endpoint			V2 Endpoint	
1	/v1/	GET	/v2/	None
2	/v1/account	GET	/v2/account	None
3	/v1/accounts	GET	/v2/accounts	None
4		POST		None
5	/v1/accounts/{accountname}	GET	/v2/accounts/{account_name}	None
6		PUT		None
7		DEL		None
8	/v1/accounts/{accountname}/state	PUT	/v2/accounts/{account_name}/state	None
9	/v1/accounts/{accountname}/users	GET	/v2/accounts/{account_name}/users	None
10		POST		None
11	/v1/accounts/{accountname}/users/{username}	GET	/v2/accounts/{account_name}/users/{username}	None
12		DEL		None
13	/v1/accounts/{accountname}/users/{username}/credentials	GET	/v2/accounts/{account_name}/users/{username}/credentials	None
14		POST		None
15		DEL		None
16	/v1/enterprise/actions	GET	/v2/actions	Endpoint name changed
17		POST		Endpoint name changed
18	/v1/enterprise/alerts/compliance_violations	GET	/v2/alerts/compliance-violations	Endpoint name changed
19	/v1/enterprise/alerts/compliance_violations/{uuid}	GET	/v2/alerts/compliance-violations/{uuid}	Endpoint name changed
20		PATCH	/v2/alerts/compliance-violations/{uuid}	New PATCH endpoint to support updating the state (replaces the endpoint below)

21	/v1/enterprise/alerts/compliance_violations/{uuid}/{state}	PUT		Deprecated
22	/v1/enterprise/alerts/summaries	GET	/v2/alerts/summaries	Endpoint name changed
23	/v1/enterprise/applications	GET	/v2/applications	Endpoint name changed
24		POST		Endpoint name changed
25	/v1/enterprise/applications/{application_id}	GET	/v2/applications/{application_id}	Endpoint name changed
26		PUT		Endpoint name changed
27		DEL		Endpoint name changed
28	/v1/enterprise/applications/{application_id}/versions	GET	/v2/applications/{application_id}/versions	Endpoint name changed
29		POST		Endpoint name changed
30	/v1/enterprise/applications/{application_id}/versions/{application_version_id}	GET	/v2/applications/{application_id}/versions/{application_version_id}	Endpoint name changed Response: account_id -> account_name
31		PUT		Endpoint name changed Response: account_id -> account_name
32		DEL		Endpoint name changed
33	/v1/enterprise/applications/{application_id}/versions/{application_version_id}/artifacts	GET	/v2/applications/{application_id}/versions/{application_version_id}/artifacts	Endpoint name changed Response: account_id -> account_name
34		POST		Endpoint name changed Response: account_id -> account_name
35	/v1/enterprise/applications/{application_id}/versions/{application_version_id}/artifacts/{association_id}	DEL	/v2/applications/{application_id}/versions/{application_version_id}/artifacts/{association_id}	Endpoint name changed
36	/v1/enterprise/applications/{application_id}/versions/{application_version_id}/sboms/json	GET	/v2/applications/{application_id}/versions/{application_version_id}/sboms/native-json	Endpoint name changed

37	<code>/v1/enterprise/applications/{application_id}/versions/{application_version_id}/vulnerabilities</code>	GET	<code>/v2/applications/{application_id}/versions/{application_version_id}/vulnerabilities</code>	Endpoint name changed
38	<code>/v1/archives</code>	GET	<code>/v2/archives</code>	None
39	<code>/v1/archives/images</code>	GET	<code>/v2/archives/images</code>	Return type of <code>ArchivedAnalyses</code> is a list of <code>ArchivedAnalysis</code> that has the following changes: <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> <code>parentDigest</code> → <code>parent_digest</code> <code>pullstring</code> → <code>pull_string</code>
40		POST		None
41	<code>/v1/archives/images/{imageDigest}</code>	GET	<code>/v2/archives/images/{image_digest}</code>	Return type of <code>ArchivedAnalysis</code> that has the following changes: <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> <code>parentDigest</code> → <code>parent_digest</code> <code>pullstring</code> → <code>pull_string</code>
42		DEL		None
43	<code>/v1/archives/rules</code>	GET	<code>/v2/archives/rules</code>	None
44		POST		None
45	<code>/v1/archives/rules/{ruleId}</code>	GET	<code>/v2/archives/rules/{rule_id}</code>	None
46		DEL		None
47	<code>/v1/enterprise/artifact_relationships</code>	GET	<code>/v2/artifact-relationships</code>	Endpoint name changed
48		POST		Endpoint name changed
49		DEL		Endpoint name changed
50	<code>/v1/enterprise/artifact_relationships/{relationship_id}</code>	GET	<code>/v2/artifact-relationships/{relationship_id}</code>	Endpoint name changed
51	<code>/v1/enterprise/artifact_relationships/{relationship_id}/diffs/sbom</code>	GET	<code>/v2/artifact-relationships/{relationship_id}/diffs/sbom</code>	Endpoint name changed

52	<code>/v1/enterprise/corrections</code>	GET	<code>/v2/corrections</code>	Endpoint name changed
53		POST		Endpoint name changed
54	<code>/v1/enterprise/corrections/{uuid}</code>	GET	<code>/v2/corrections/{uuid}</code>	Endpoint name changed
55		PUT		Endpoint name changed
56		DEL		Endpoint name changed
57	<code>/v1/enterprise/ecs-containers</code>	GET	<code>/v2/ecs-containers</code>	Endpoint name changed
58	<code>/v1/enterprise/ecs-services</code>	GET	<code>/v2/ecs-services</code>	Endpoint name changed
59	<code>/v1/enterprise/ecs-tasks</code>	GET	<code>/v2/ecs-tasks</code>	Endpoint name changed
60	<code>/v1/enterprise/ecs-inventory</code>	POST	<code>/v2/ecs-inventory</code>	Endpoint name changed
61	<code>/v1/event_types</code>	GET	<code>/v2/event-types</code>	Endpoint name changed
62	<code>/v1/events</code>	GET	<code>/v2/events</code>	<p>Query params</p> <ul style="list-style-type: none"> <code>source_servicename</code> → <code>source_service_name</code> <code>source_hostid</code> → <code>source_host_id</code> <p>Response type of <code>EventsList</code> is a list of <code>EventResponse</code> objects that have the following changes:</p> <ul style="list-style-type: none"> <code>generated_uuid</code> → <code>event_id</code> <code>servicename</code> → <code>service_name</code> <code>hostid</code> → <code>host_id</code> <code>userid</code> → <code>account_name</code>
63		DEL		None
64	<code>/v1/events/{eventId}</code>	GET	<code>/v2/events/{event_id}</code>	<p>Response type of <code>EventResponse</code> objects that have the following changes:</p> <ul style="list-style-type: none"> <code>generated_uuid</code> → <code>event_id</code> <code>servicename</code> → <code>service_name</code> <code>hostid</code> → <code>host_id</code> <code>userid</code> → <code>account_name</code>
65		DEL		None
66	<code>/v1/health</code>	GET	<code>/v2/health</code>	None

67	/v1/images	GET	/v2/images	<p>Response type of <code>AnchoreImageList</code> is a <code>items</code> wrapped object of <code>AnchoreImage</code> that have the following changes:</p> <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> <code>parentDigest</code> → <code>parent_digest</code> <code>userId</code> → <code>account_name</code> <code>fulltag</code> → <code>full_tag</code> <code>fulldigest</code> → <code>full_digest</code> <code>hostid</code> → <code>host_id</code> <code>servicename</code> → <code>service_name</code> <code>image_detail</code> is of type <code>ImageDetail</code> which has the following changes: <ul style="list-style-type: none"> <code>userId</code> → <code>account_name</code> <code>imageId</code> → <code>image_id</code> <code>imageDigest</code> → <code>image_digest</code> <p>Note: Added a query param of <code>image_id</code></p>
68		POST		<p>Query param:</p> <ul style="list-style-type: none"> <code>autosubscribe</code> → <code>auto_subscribe</code> <p>Body param <code>ImageAnalysisRequest</code> removed the following:</p> <ul style="list-style-type: none"> <code>dockerfile</code>, <code>digest</code>, <code>tag</code>, <code>created_at</code> These values had been previously been deprecated. Please use the <code>source</code> field instead. <p>Response type of <code>AnchoreImageList</code> is a list of <code>AnchoreImage</code> that have the following changes:</p> <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> <code>parentDigest</code> → <code>parent_digest</code> <code>userId</code> → <code>account_name</code>

				<ul style="list-style-type: none"> • fulltag → full_tag • fulldigest → full_digest • hostid → host_id • servicename → service_name • image_detail is of type ImageDetail which has the following changes: <ul style="list-style-type: none"> ◦ userid → account_name ◦ imageId -> image_id ◦ imageDigest → image_digest
69		DEL		<p>Query param:</p> <ul style="list-style-type: none"> imageDigests → image_digests <p>Response type of DeleteImageResponseList which is a list of DeleteImageResponse has the following change:</p> <ul style="list-style-type: none"> • digest → image_digest
70	/v1/images/{imageDigest}	GET	/v2/images/{image_digest}	<p>V1 Response type of AnchoreImageList has a list of AnchoreImage .</p> <p>V2 Response type is a single AnchoreImage .</p> <p>AnchoreImage has the following changes:</p> <ul style="list-style-type: none"> • imageDigest → image_digest • parentDigest → parent_digest • userid → account_name • fulltag → full_tag • fulldigest → full_digest • hostid → host_id • servicename → service_name • analysis_status_detail is of type AnalysisStatusDetail <ul style="list-style-type: none"> ◦ Param source of type ServiceReference

				<p>has the following changes:</p> <ul style="list-style-type: none"> ▪ <code>hostid</code> → <code>host_id</code> ▪ <code>servicename</code> → <code>service_name</code>
71		DEL		<code>digest</code> → <code>image_digest</code>
72	<code>/v1/enterprise/images/{imageDigest}/ancestors</code>	GET	<code>/v2/images/{image_digest}/ancestors</code>	<p>Endpoint name changed</p> <p>Response type of <code>ImageAncestry</code> is a list of <code>ImageAncestor</code> that have the following changes:</p> <ul style="list-style-type: none"> • <code>imageDigest</code> → <code>image_digest</code>
73	<code>/v1/images/{imageDigest}/artifacts/file-content-search</code>	GET	<code>/v2/images/{image_digest}/artifacts/file-content-search</code>	Endpoint name changed
74	<code>/v1/images/{imageDigest}/artifacts/retrieved_files</code>	GET	<code>/v2/images/{image_digest}/artifacts/retrieved-files</code>	Endpoint name changed
75	<code>/v1/images/{imageDigest}/artifacts/secret-search</code>	GET	<code>/v2/images/{image_digest}/artifacts/secret-search</code>	Endpoint name changed
76	<code>/v1/images/{imageDigest}/check</code>	GET		Removed. Use the endpoint below.
77	<code>/v1/enterprise/images/{imageDigest}/check</code>	GET	<code>/v2/images/{image_digest}/check</code>	<p>Endpoint name changed</p> <p>Query params</p> <ul style="list-style-type: none"> • <code>policyId</code> → <code>policy_id</code> <p>Details of the changes to the response type are available at below in PolicyEvaluation Detail Table</p>
78	<code>/v1/images/{imageDigest}/content</code>	GET	<code>/v2/images/{image_digest}/content</code>	None
79	<code>/v1/images/{imageDigest}/content/files</code>	GET	<code>/v2/images/{image_digest}/content/files</code>	<p>Response type of <code>ContentFilesResponse</code> has the following change:</p> <ul style="list-style-type: none"> • <code>imageDigest</code> → <code>image_digest</code>
80	<code>/v1/images/{imageDigest}/content/java</code>	GET	<code>/v2/images/{image_digest}/content/java</code>	<p>Response type of <code>ContentJAVAPackageResponse</code> has the following change:</p> <ul style="list-style-type: none"> • <code>imageDigest</code> → <code>image_digest</code>

81	<code>/v1/images/{imageDigest}/content/malware</code>	GET	<code>/v2/images/{image_digest}/content/malware</code>	Response type of <code>ContentMalwareResponse</code> has the following change: <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code>
82	<code>/v1/images/{imageDigest}/content/{ctype}</code>	GET	<code>/v2/images/{image_digest}/content/{content_type}</code>	Response type of <code>ContentPackageResponse</code> has the following changes: <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> Param <code>license</code> was removed. Please use the <code>licenses</code> param.
83	<code>/v1/images/{imageDigest}/metadata</code>	GET	<code>/v2/images/{image_digest}/metadata</code>	None
84	<code>/v1/images/{imageDigest}/metadata/{mtype}</code>	GET	<code>/v2/images/{image_digest}/metadata/{metadata_type}</code>	Response type of <code>MetadataResponse</code> has the following changes: <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code>
85	<code>/v1/images/{imageDigest}/sboms/native</code>	GET		Removed
86	<code>/v1/images/{imageDigest}/sboms/cyclonedx-json</code>	GET	<code>/v2/images/{image_digest}/sboms/cyclonedx-json</code>	None
87	<code>/v1/images/{imageDigest}/sboms/native-json</code>	GET	<code>/v2/images/{image_digest}/sboms/native-json</code>	None
88	<code>/v1/images/{imageDigest}/sboms/spdx-json</code>	GET	<code>/v2/images/{image_digest}/sboms/spdx-json</code>	None
89	<code>/v1/images/{imageDigest}/vuln</code>	GET	<code>/v2/images/{image_digest}/vuln</code>	None
90	<code>/v1/images/{imageDigest}/vuln/{vtype}</code>	GET		Removed
91	<code>/v1/enterprise/images/{imageDigest}/vuln/{vtype}</code>	GET	<code>/v2/images/{image_digest}/vuln/{vuln_type}</code>	Endpoint name changed <ul style="list-style-type: none"> <code>imageDigest</code> → <code>image_digest</code> Response type was renamed from <code>EnterpriseVulnerabilityResponse</code> to <code>ImagePackageVulnerabilityResponse</code> . <code>ImagePackageVulnerabilityResponse</code> adds the param <code>detected_at</code> .
92	<code>/v1/images/by_id/{imageId}</code>	GET		Removed

			<p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
93		DEL	<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
94	<code>/v1/images/by_id/{imageId}/check</code>	GET	<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
95	<code>/v1/images/by_id/{imageId}/vuln</code>	GET	<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
96	<code>/v1/images/by_id/{imageId}/vuln/{vtype}</code>	GET	<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
97	<code>/v1/images/by_id/{imageId}/content</code>	GET	<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>.</p>

				<p>This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
98	<code>/v1/images/by_id/{imageId}/content/{ctype}</code>	GET		<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
99	<code>/v1/images/by_id/{imageId}/content/files</code>	GET		<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
100	<code>/v1/images/by_id/{imageId}/content/java</code>	GET		<p>Removed</p> <p>Please use <code>/v2/images</code> with the query param <code>image_id</code>. This will return a <code>AnchoreImage</code> with the image's <code>image_digest</code>. The endpoints of <code>/v2/images/{image_digest}</code> are now accessible to you.</p>
101	<code>/v1/import/images</code>	POST		<p>Removed</p> <p>Please use endpoint <code>/v2/imports/images</code></p>
102	<code>/v1/imports/images</code>	GET	<code>/v2/imports/images</code>	<p>Response type <code>ImageImports</code> which is a list of <code>ImageImportOperation</code> has the following change:</p> <ul style="list-style-type: none"> • <code>account</code> → <code>account_name</code>
103		POST		<p>Response type <code>ImageImportOperation</code> has the following change:</p> <ul style="list-style-type: none"> • <code>account</code> → <code>account_name</code>

104	/v1/imports/images/{operation_id}	GET	/v2/imports/images/{operation_id}	Response type ImageImportOperation has the following change: • account → account_name
105		DEL		None
106	/v1/imports/images/{operation_id}/content_searches	GET	/v2/imports/images/{operation_id}/content-searches	Endpoint name changed
107		POST		Endpoint name changed
108	/v1/imports/images/{operation_id}/dockerfile	GET	/v2/imports/images/{operation_id}/dockerfile	None
109		POST		None
110	/v1/imports/images/{operation_id}/file_contents	GET	/v2/imports/images/{operation_id}/file-contents	Endpoint name changed
111		POST		Endpoint name changed
112	/v1/imports/images/{operation_id}/image_config	GET	/v2/imports/images/{operation_id}/image-config	Endpoint name changed
113		POST		Endpoint name changed
114	/v1/imports/images/{operation_id}/manifest	GET	/v2/imports/images/{operation_id}/manifest	None
115		POST		None
116	/v1/imports/images/{operation_id}/packages	GET	/v2/imports/images/{operation_id}/packages	None
117		POST		None
118	/v1/imports/images/{operation_id}/parent_manifest	GET	/v2/imports/images/{operation_id}/parent-manifest	Endpoint name changed
119		POST		Endpoint name changed
120	/v1/imports/images/{operation_id}/secret_searches	GET	/v2/imports/images/{operation_id}/secret-searches	Endpoint name changed
121		POST		Endpoint name changed
122	/v1/enterprise/imports/sources	GET	/v2/imports/sources	Endpoint name changed

12 3		POST		Endpoint name changed
12 4	/v1/enterprise/imports/sources/{operation_id}	GET	/v2/imports/sources/{operation_id}	Endpoint name changed
12 5		DEL		Endpoint name changed
12 6	/v1/enterprise/imports/sources/{operation_id}/finalize	POST	/v2/imports/sources/{operation_id}/finalize	Endpoint name changed Response type SourceManifest has the following change: <ul style="list-style-type: none"> account_id → account_name
12 7	/v1/enterprise/imports/sources/{operation_id}/sbom	GET	/v2/imports/sources/{operation_id}/sbom	Endpoint name changed
12 8		POST		Endpoint name changed
12 9	/v1/enterprise/inventories	GET	/v2/inventories	Response type InventoryItems is an object of items which are of type InventoryItem Endpoint name changed
13 0		POST		Removed
13 1		DEL		Endpoint name changed
13 2	/v1/enterprise/kubernetes-containers	GET	/v2/kubernetes-containers	Endpoint name changed
13 3	/v1/enterprise/kubernetes-inventory	POST	/v2/kubernetes-inventory	Endpoint name changed
13 4	/v1/enterprise/kubernetes-namespaces	GET	/v2/kubernetes-namespaces	Endpoint name changed
13 5		DEL		Endpoint name changed
13 6	/v1/enterprise/kubernetes-namespaces/{namespace_id}	GET	/v2/kubernetes-namespaces/{namespace_id}	Endpoint name changed
13 7	/v1/enterprise/kubernetes-nodes	GET	/v2/kubernetes-nodes	Endpoint name changed
13 8	/v1/enterprise/kubernetes-nodes/{node_id}	GET	/v2/kubernetes-nodes/{node_id}	Endpoint name changed
13 9	/v1/enterprise/kubernetes-pods	GET	/v2/kubernetes-pods	Endpoint name changed

14 0	/v1/enterprise/kubernetes-pods/{pod_id}	GET	/v2/kubernetes-pods/{pod_id}	Endpoint name changed
14 1	/v1/endpoints	GET	/v2/notifications/endpoints	Endpoint name changed
14 2	/v1/endpoints/github/configurations	GET	/v2/notifications/endpoints/github/configurations	Endpoint name changed
14 3		POST		Endpoint name changed
14 4	/v1/endpoints/github/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/github/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed
14 5		PUT		Endpoint name changed
14 6		DEL		Endpoint name changed
14 7	/v1/endpoints/github/configurations/{uuid}	GET	/v2/notifications/endpoints/github/configurations/{uuid}	Endpoint name changed
14 8		PUT		Endpoint name changed
14 9		DEL		Endpoint name changed
15 0	/v1/endpoints/github/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/github/configurations/{uuid}/selectors	Endpoint name changed
15 1		POST		Endpoint name changed
15 2	/v1/endpoints/github/configurations/{uuid}/status	GET	/v2/notifications/endpoints/github/configurations/{uuid}/status	Endpoint name changed
15 3	/v1/endpoints/github/test	POST	/v2/notifications/endpoints/github/test	Endpoint name changed
15 4	/v1/endpoints/jira/configurations	GET	/v2/notifications/endpoints/jira/configurations	Endpoint name changed
15 5		POST		Endpoint name changed
15 6	/v1/endpoints/jira/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/jira/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed
15 7		PUT		Endpoint name changed

158		DEL		Endpoint name changed
159	/v1/endpoints/jira/configurations/{uuid}	GET	/v2/notifications/endpoints/jira/configurations/{uuid}	Endpoint name changed
160		PUT		Endpoint name changed
161		DEL		Endpoint name changed
162	/v1/endpoints/jira/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/jira/configurations/{uuid}/selectors	Endpoint name changed
163		POST		Endpoint name changed
164	/v1/endpoints/jira/configurations/{uuid}/status	GET	/v2/notifications/endpoints/jira/configurations/{uuid}/status	Endpoint name changed
165	/v1/endpoints/jira/test	POST	/v2/notifications/endpoints/jira/test	Endpoint name changed
166	/v1/endpoints/slack/configurations	GET	/v2/notifications/endpoints/slack/configurations	Endpoint name changed
167		POST		Endpoint name changed
168	/v1/endpoints/slack/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/slack/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed
169		PUT		Endpoint name changed
170		DEL		Endpoint name changed
171	/v1/endpoints/slack/configurations/{uuid}	GET	/v2/notifications/endpoints/slack/configurations/{uuid}	Endpoint name changed
172		PUT		Endpoint name changed
173		DEL		Endpoint name changed
174	/v1/endpoints/slack/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/slack/configurations/{uuid}/selectors	Endpoint name changed
175		POST		Endpoint name changed

176	/v1/endpoints/slack/configurations/{uuid}/status	GET	/v2/notifications/endpoints/slack/configurations/{uuid}/status	Endpoint name changed
177	/v1/endpoints/slack/test	POST	/v2/notifications/endpoints/slack/test	Endpoint name changed
178	/v1/endpoints/smtp/configurations	GET	/v2/notifications/endpoints/smtp/configurations	Endpoint name changed
179		POST		Endpoint name changed
180	/v1/endpoints/smtp/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/smtp/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed
181		PUT		Endpoint name changed
182		DEL		Endpoint name changed
183	/v1/endpoints/smtp/configurations/{uuid}	GET	/v2/notifications/endpoints/smtp/configurations/{uuid}	Endpoint name changed
184		PUT		Endpoint name changed
185		DEL		Endpoint name changed
186	/v1/endpoints/smtp/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/smtp/configurations/{uuid}/selectors	Endpoint name changed
187		POST		Endpoint name changed
188	/v1/endpoints/smtp/configurations/{uuid}/status	GET	/v2/notifications/endpoints/smtp/configurations/{uuid}/status	Endpoint name changed
189	/v1/endpoints/smtp/test	POST	/v2/notifications/endpoints/smtp/test	Endpoint name changed
190	/v1/endpoints/teams/configurations	GET	/v2/notifications/endpoints/teams/configurations	Endpoint name changed
191		POST		Endpoint name changed
192	/v1/endpoints/teams/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/teams/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed

193		PUT		Endpoint name changed
194		DEL		Endpoint name changed
195	/v1/endpoints/teams/configurations/{uuid}	GET	/v2/notifications/endpoints/teams/configurations/{uuid}	Endpoint name changed
196		PUT		Endpoint name changed
197		DEL		Endpoint name changed
198	/v1/endpoints/teams/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/teams/configurations/{uuid}/selectors	Endpoint name changed
199		POST		Endpoint name changed
200	/v1/endpoints/teams/configurations/{uuid}/status	GET	/v2/notifications/endpoints/teams/configurations/{uuid}/status	Endpoint name changed
201	/v1/endpoints/teams/test	POST	/v2/notifications/endpoints/teams/test	Endpoint name changed
202	/v1/endpoints/webhook/configurations	GET	/v2/notifications/endpoints/webhook/configurations	Endpoint name changed
203		POST		Endpoint name changed
204	/v1/endpoints/webhook/configurations/{configuration_uuid}/selectors/{selector_uuid}	GET	/v2/notifications/endpoints/webhook/configurations/{configuration_uuid}/selectors/{selector_uuid}	Endpoint name changed
205		PUT		Endpoint name changed
206		DEL		Endpoint name changed
207	/v1/endpoints/webhook/configurations/{uuid}	GET	/v2/notifications/endpoints/webhook/configurations/{uuid}	Endpoint name changed
208		PUT		Endpoint name changed
209		DEL		Endpoint name changed
210	/v1/endpoints/webhook/configurations/{uuid}/selectors	GET	/v2/notifications/endpoints/webhook/configurations	Endpoint name changed

			<code>/v1/notifications/endpoints/{uuid}/selectors</code>	
21 1		POST		Endpoint name changed
21 2	<code>/v1/endpoints/webhook/configurations/{uuid}/status</code>	GET	<code>/v2/notifications/endpoints/webhook/configurations/{uuid}/status</code>	Endpoint name changed
21 3	<code>/v1/endpoints/webhook/test</code>	POST	<code>/v2/notifications/endpoints/webhook/test</code>	Endpoint name changed
21 4	<code>/v1/endpoints/{name}</code>	PUT	<code>/v2/notifications/endpoints/{name}</code>	Endpoint name changed
21 5	<code>/v1/internal/endpoints/{name}/configurations/{uuid}/notify</code>	POST		Removed
21 6	<code>/v1/selectors</code>	GET	<code>/v2/notifications/selectors</code>	Endpoint name changed
21 7	<code>/v1/oauth/revoke</code>	POST	<code>/v2/oauth/revoke</code>	None
21 8	<code>/v1/oauth/token</code>	POST	<code>/v2/oauth/token</code>	None
21 9	<code>/v1/policies</code>	GET	<code>/v2/policies</code>	<p>Response type is now <code>PolicyRecord</code> instead of <code>PolicyBundleList</code>. With the following changes:</p> <ul style="list-style-type: none"> <code>userId</code> -> <code>account_name</code> <code>policybundle</code> -> <code>policy</code> <code>policybundlemeta</code> was removed <code>policy</code> field will be <code>null</code> if <code>detail</code> is false (previously the API returned <code>{}</code>) <p>The element <code>policy</code> (type renamed to <code>Policy</code> from <code>PolicyBundle</code>) has the following changes:</p> <ul style="list-style-type: none"> <code>whitelists</code> -> <code>allowlists</code> <code>whitelisted_images</code> -> <code>allowlisted_images</code> <code>blacklisted_images</code> -> <code>denylisted_images</code> <code>policies</code> -> <code>rule_sets</code> <p>The following changes were made to <code>MappingRule</code> at mappings and <code>SourceMappingRule</code> at</p>

			<p>source_mappings in the PolicyBundle object</p> <ul style="list-style-type: none"> whitelist_ids → allowlist_ids policy_id was removed use rule_set_ids instead policy_ids → rule_set_ids <p>Throughout the policy:</p> <ul style="list-style-type: none"> comment → description
220		POST	<p>The PolicyBundle object provided in the body has the following changes</p> <ul style="list-style-type: none"> whitelists → allowlists whitelisted_images → allowlisted_images blacklisted_images → denylisted_images policies → rule_sets <p>The following changes were made to MappingRule at mappings and SourceMappingRule at source_mappings in the PolicyBundle object</p> <ul style="list-style-type: none"> whitelist_ids → allowlist_ids policy_id was removed use rule_set_ids instead policy_ids → rule_set_ids <p>Throughout the policy:</p> <ul style="list-style-type: none"> comment → description
221	/v1/policies/{policyId}	GET	<p>/v2/policies/{policy_id}</p> <p>Query params</p> <ul style="list-style-type: none"> policyId → policy_id <p>Response type is now PolicyRecord instead of PolicyBundleList. With the following changes:</p> <ul style="list-style-type: none"> userId → account_name policybundle → policy

			<ul style="list-style-type: none"> • <code>policybundlemeta</code> was removed • <code>policy</code> field will be <code>null</code> if <code>detail</code> is false (previously the API returned <code>{}</code>) <p>The element <code>policy</code> (type renamed to <code>Policy</code> from <code>PolicyBundle</code>) has the following changes:</p> <ul style="list-style-type: none"> • <code>whitelists</code> -> <code>allowlists</code> • <code>whitelisted_images</code> → <code>allowlisted_images</code> • <code>blacklisted_images</code> → <code>denylisted_images</code> • <code>policies</code> → <code>rule_sets</code> <p>The following changes were made to <code>MappingRule</code> at <code>mappings</code> and <code>SourceMappingRule</code> at <code>source_mappings</code> in the <code>PolicyBundle</code> object</p> <ul style="list-style-type: none"> • <code>whitelist_ids</code> → <code>allowlist_ids</code> • <code>policy_id</code> was removed use <code>rule_set_ids</code> instead • <code>policy_ids</code> → <code>rule_set_ids</code> <p>Throughout the policy:</p> <ul style="list-style-type: none"> • <code>comment</code> → <code>description</code>
22 2		PUT	<p>Query params</p> <ul style="list-style-type: none"> • <code>policyId</code> → <code>policy_id</code> <p>Body param and response type is now a single <code>PolicyRecord</code> instead of <code>PolicyBundleList</code>. With the following changes:</p> <ul style="list-style-type: none"> • <code>userId</code> -> <code>account_name</code> • <code>policybundle</code> -> <code>policy</code> • <code>policybundlemeta</code> was removed <p>The element <code>policy</code> (type renamed to <code>Policy</code> from</p>

				<p>PolicyBundle) has the following changes:</p> <ul style="list-style-type: none"> whitelists -> allowlists whitelisted_images → allowlisted_images blacklisted_images → denylisted_images policies → rule_sets <p>The following changes were made to MappingRule at mappings and SourceMappingRule at source_mappings in the PolicyBundle object</p> <ul style="list-style-type: none"> whitelist_ids → allowlist_ids policy_id was removed use rule_set_ids instead policy_ids → rule_set_ids <p>Throughout the policy:</p> <ul style="list-style-type: none"> comment → description
22 3		DEL		<p>Query params</p> <ul style="list-style-type: none"> policyId → policy_id
22 4	/v1/query/images/by_package	GET	/v2/query/images/by-package	<p>Endpoint name changed</p> <p>Response type</p> <p>PaginatedImageList is a list of ImageWithPackages which has the following changes:</p> <ul style="list-style-type: none"> imageDigest → image_digest imageId → image_id fulltag → full_tag
22 5	/v1/query/images/by_vulnerability	GET		Removed
22 6	/v1/query/vulnerabilities	GET	/v2/query/vulnerabilities	None
22 7		GET	/rbac-manager/my-roles	
22 8		GET	/rbac-manager/roles	

229		GET	/rbac-manager/roles/{role_name}	
230		GET	/rbac-manager/roles/{role_name}/members	
231		POST		
232		DEL		
233		GET	/rbac-manager/saml/idps	
234		POST		
235		GET	/rbac-manager/saml/idps/{name}	
236		PUT		
237		DEL		
238		GET	/rbac-manager/saml/login/{idp_name}	
239		POST	/rbac-manager/saml/sso/{idp_name}	
240		GET	/rbac-manager/users/{username}/roles	
241	/v1/registries	GET	/v2/registries	Response type RegistryConfigurationList is a list of RegistryConfiguration which has the following changes: <ul style="list-style-type: none"> • userId → account_name
242		POST		Response type RegistryConfigurationList is a list of RegistryConfiguration which has the following changes: <ul style="list-style-type: none"> • userId → account_name

243	<code>/v1/registries/{registry}</code>	GET	<code>/v2/registries/{registry}</code>	Response type <code>RegistryConfigurationList</code> is a list of <code>RegistryConfiguration</code> which has the following changes: <ul style="list-style-type: none"> <code>userId</code> → <code>account_name</code>
244		PUT		Response type <code>RegistryConfigurationList</code> is a list of <code>RegistryConfiguration</code> which has the following changes: <ul style="list-style-type: none"> <code>userId</code> → <code>account_name</code>
245		DEL		Response changed to 204 and returns None
246	<code>/v1/reports/global/scheduled_query_results/{result_uuid}</code>	GET	<code>/v2/reporting/reports/global/scheduled-query-results/{result_uuid}</code>	Endpoint name changed
247	<code>/v1/scheduled_query_results/{result_uuid}</code>	GET	<code>/v2/reporting/scheduled-query-results/{result_uuid}</code>	Endpoint name changed
248	<code>/v1/repositories</code>	POST	<code>/v2/repositories</code>	Endpoint name changed Query parameter name changed <ul style="list-style-type: none"> <code>autosubscribe</code> → <code>auto_subscribe</code> <code>dryrun</code> → <code>dry_run</code> Response type <code>SubscriptionList</code> is a list of <code>Subscription</code> which has the following change: <ul style="list-style-type: none"> <code>userId</code> → <code>account_name</code> <code>autosubscribe</code> → <code>auto_subscribe</code> <code>repotags</code> → <code>repo_tags</code>
249	<code>/v1/enterprise/runtime_compliance</code>	GET		Endpoint deleted
250		POST		Endpoint deleted
251	<code>/v1/enterprise/runtime_compliance/result/{compliance_file_id}</code>	GET		Endpoint deleted
252	<code>/v1/enterprise/sources</code>	GET	<code>/v2/sources</code>	Endpoint name changed

				<p>Response type <code>SourcesList</code> is an object of <code>items</code> which are of type <code>Source</code> which has the following change:</p> <ul style="list-style-type: none"> <code>account_id</code> → <code>account_name</code>
253	<code>/v1/enterprise/sources/{source_id}</code>	GET	<code>/v2/sources/{source_id}</code>	<p>Endpoint name changed</p> <p>Response type <code>SourceManifest</code> has the following change:</p> <ul style="list-style-type: none"> <code>account_id</code> → <code>account_name</code>
254		DEL		<p>Endpoint name changed</p> <p>No longer returns the object deleted</p>
255	<code>/v1/enterprise/sources/{source_id}/check</code>	GET	<code>/v2/sources/{source_id}/check</code>	<p>Endpoint name changed</p> <p>Details about the changes to the response are available at <code>SourcePolicyEvaluation</code> Table below</p>
256	<code>/v1/enterprise/sources/{source_id}/content</code>	GET	<code>/v2/sources/{source_id}/content</code>	Endpoint name changed
257	<code>/v1/enterprise/sources/{source_id}/content/{content_type}</code>	GET	<code>/v2/sources/{source_id}/content/{content_type}</code>	<p>Endpoint name changed</p> <p>Response type <code>SourceContentPackageResponse</code> has removed property value <code>license</code>.</p>
258	<code>/v1/enterprise/sources/{source_id}/sbom</code>	GET	<code>/v2/sources/{source_id}/sbom/</code>	Endpoint name changed
259	<code>/v1/enterprise/sources/{source_id}/sbom/cyclonedx-json</code>	GET	<code>/v2/sources/{source_id}/sbom/cyclonedx-json</code>	Endpoint name changed
260	<code>/v1/enterprise/sources/{source_id}/sbom/native</code>	GET		Removed
261	<code>/v1/enterprise/sources/{source_id}/sbom/native-json</code>	GET	<code>/v2/sources/{source_id}/sbom/native-json</code>	Endpoint name changed
262	<code>/v1/enterprise/sources/{source_id}/sbom/spdx-json</code>	GET	<code>/v2/sources/{source_id}/sbom/spdx-json</code>	Endpoint name changed
263	<code>/v1/enterprise/sources/{source_id}/vuln</code>	GET	<code>/v2/sources/{source_id}/vuln</code>	Endpoint name changed
264	<code>/v1/enterprise/sources/{source_id}/vuln/{vtype}</code>	GET	<code>/v2/sources/{source_id}/vuln/{vuln_type}</code>	<p>Endpoint name changed</p> <p>Response type <code>SourcePackageVulnerability</code></p>

				yResponse includes a new property called detected_at
265	/v1/enterprise/stateless/sbom/vuln/{vtype}	POST	/v2/vulnerability-scan	Endpoint name changed Path parameters vuln_type was removed Query parameters will_not_fix was removed Response type SBOMVulnerabilitiesResponse includes a new property called detected_at
266	/v1/status	GET	/v2/status	None
267	/v1/subscriptions	GET	/v2/subscriptions	Response type SubscriptionList is a list of Subscription which has the following change: • userId → account_name
268		POST		None
269	/v1/subscriptions/{subscriptionId}	GET	/v2/subscriptions/{subscription_id}	• userId → account_name
270		PUT		• userId → account_name
271		DEL		None
272	/v1/summaries/imagetags	GET	/v2/summaries/image-tags	Response type AnchoreImageTagSummaryList is an object of items which are of type AnchoreImageTagSummary which has the following change: • imageDigest → image_digest • parentDigest → parent_digest • imageId → image_id • fulltag → full_tag
273	/v1/system	GET	/v2/system	Response type SystemStatusResponse has a ServiceList which is a list of Service which has the following change: • hostid → host_id

				<ul style="list-style-type: none"> • <code>servicename</code> → <code>service_name</code>
27 4	<code>/v1/system/error_codes</code>	GET	<code>/v2/system/error-codes</code>	Endpoint name changed
27 5	<code>/v1/system/feeds</code>	GET	<code>/v2/system/feeds</code>	None
27 6		POST		Query parameters of <code>flush</code> and <code>sync</code> have been removed
27 7	<code>/v1/system/feeds/{feed}</code>	PUT	<code>/v2/system/feeds/{feed}</code>	None
27 8		DEL		None
27 9	<code>/v1/system/feeds/{feed}/group</code>	PUT		Removed
28 0		DEL		Removed
28 1	<code>/v1/system/policy_spec</code>	GET	<code>/v2/system/policy-spec</code>	Endpoint name changed <code>superceded_by</code> → <code>superseded_by</code>
28 2	<code>/v1/system/services</code>	GET	<code>/v2/system/services</code>	Response type <code>ServiceList</code> is a list of <code>Service</code> which has the following changes: <ul style="list-style-type: none"> • <code>servicename</code> → <code>service_name</code> • <code>hostid</code> → <code>host_id</code>
28 3	<code>/v1/system/services/{servicename}</code>	GET	<code>/v2/system/services/{service_name}</code>	Response type <code>ServiceList</code> is a list of <code>Service</code> which has the following changes: <ul style="list-style-type: none"> • <code>servicename</code> → <code>service_name</code> • <code>hostid</code> → <code>host_id</code>
28 4	<code>/v1/system/services/{servicename}/{hostid}</code>	GET	<code>/v2/system/services/{service_name}/{host_id}</code>	Response type <code>ServiceList</code> is a list of <code>Service</code> which has the following changes: <ul style="list-style-type: none"> • <code>servicename</code> → <code>service_name</code> • <code>hostid</code> → <code>host_id</code>
28 5		DEL		None
28 6	<code>/v1/system/webhooks/webhook_type/test</code>	POST	<code>/v2/system/webhooks/{webhook_type}/test</code>	None

28 7	/v1/user	GET	/v2/user	None
28 8	/v1/user/credentials	GET	/v2/user/credentials	None
28 9		POST		None
29 0	/v1/version	GET	/v2/version	None
29 1				



PolicyEvaluation Detail Table

This table shows V1 API response and the corresponding fields in the V2 output

V1	V2	Details
<digest>.<tag>[n].last_evaluation		Field Removed
<digest>.<tag>[n].policyId	policy_id	
<digest>.<tag>[n].status	evaluations[n].status	
<digest>.<tag>[n].detail.policy	N/A	Field Removed - This was always the current bundle
<digest>.<tag>[n].detail.result.base_image_id	evaluations[n].comparison_image_digest	Note that this is now the image digest
<digest>.<tag>[n].detail.result.bundle	evaluations[n].details.policy	This is the bundle used at evaluation time
<digest>.<tag>[n].detail.result.created_at	evaluations[n].evaluation_time	
<digest>.<tag>[n].detail.result.evaluation_problems	evaluations[n].evaluation_problems	
<digest>.<tag>[n].detail.result.final_action	evaluations[n].final_action	

<digest>.<tag> [n].detail.result.final_action_reason	evaluations[n].final_action_reason	
<digest>.<tag>[n].detail.result.image_digest	image_digest	
<digest>.<tag>[n].detail.result.image_id	N/A	Field Removed
<digest>.<tag>[n].detail.result.last_modified	N/A	Field Removed
<digest>.<tag> [n].detail.result.matched_blacklisted_images_rule	evaluations[n].image_denylisted evaluations[n].matched_denylisted_images_rule	The <code>image_denylisted</code> field will be <code>true</code> if the finding matched an <code>image_denylist</code> entry. The <code>matched_denylisted_images_rule</code> field is only valid if <code>image_denylisted</code> is <code>true</code>
<digest>.<tag> [n].detail.result.matched_mapping_rule	evaluations[n].image_mapped_to_rule evaluations[n].matched_mapping_rule	The <code>image_mapped_to_rule</code> field will be <code>true</code> if the finding matched an <code>mapping</code> rule The <code>matched_mapping_rule</code> field is only valid if <code>image_mapped_to_rule</code> is <code>true</code>
<digest>.<tag> [n].detail.result.matched_whitelisted_images_rule	evaluations[n].image_allowlisted evaluations[n].matched_allowlisted_images_rule	The <code>image_allowlisted</code> field will be <code>true</code> if the finding matched an <code>allowlist</code> entry. The <code>matched_allowlisted_images_rule</code> field is only valid if <code>image_allowlisted</code> is <code>true</code>
<digest>.<tag>[n].detail.result.status	evaluations[n].status	Duplicated by <code><digest>.<tag>[n].status</code> in V1
<digest>.<tag>[n].detail.result.tag	evaluated_tag	
<digest>.<tag>[n].detail.result.user_id	N/A	Field Removed
<digest>.<tag>[n].detail.result.result. <image_id>.final_action	evaluations[n].final_action	Duplicated by <code><digest>.<tag>[n].detail.result.final_action</code> in V1
<digest>.<tag>[n].detail.result.result. <image_id>.header	N/A	Field Removed
<digest>.<tag>[n].detail.result.result. <image_id>.row_count	evaluations[n].number_of_findings	
<digest>.<tag>[n].detail.result.result. <image_id>.rows	evaluations[n].details.findings	The format for the individual findings has changed significantly. See the table under <code>PolicyEvaluationFinding</code>
<digest>.<tag>[n].detail.result.result. <image_id>.remediations	evaluations[n].details.remediations	
<digest>.<tag>[n].detail.result.policy_data	N/A	Unused in V1
<digest>.<tag>[n].detail.result.policy_name	N/A	Unused in V1
<digest>.<tag>[n].detail.result.whitelist_data	N/A	Unused in V1
<digest>.<tag> [n].detail.result.whitelist_names	N/A	Unused in V1

PolicyEvaluationFinding

The format for the individual findings has been greatly simplified into a standard object instead of the CSV in JSON format that existed previously. This instead of having `header` and `rows` fields there is a single top level `findings` which is a list of `PolicyEvaluationFinding`.

Header (V1)	Column Index (V1)	Field Name (V2)	
Image_Id	0	N/A	Available in top level response
Repo_Tag	1	N/A	Available in top level response
Trigger_Id	2	trigger_id	
Gate	3	gate	
Trigger	4	trigger	
Check_Output	5	message	
Gate_Action	6	action	
Allowlisted	7	allowlisted allowlist_match	The <code>allowlisted</code> field will be <code>true</code> if the finding matched an <code>allowlist</code> entry. The <code>allowlist_match</code> field is only valid if <code>allowlisted</code> is <code>true</code>
Policy_Id	8	policy_id	
Inherited_From_Base	9	inherited_from_base	
Recommendation	10	recommendation	
N/A	N/A	rule_id	New field The ID of the rule that produced this finding

Source Repository Policy Evaluation

SourcePolicyEvaluation Changes (V2 details)

This table shows the V2 API response and the corresponding fields in the V1 output

V2	V1	Details
account_name	account_name	
evaluation_id	evaluation_id	
source_id	source_id	
host	vcs_host	
repository_name	repository_name	
revision	N/A	New field Contains the revision of the source repository that was evaluated
policy	result.bundle	
source_mapped_to_rule		New Field <code>true</code> if a mapping rule matched the Source Repository being evaluated. The <code>matched_mapping_rule</code> field is only valid if this field is <code>true</code>
matched_mapping_rule	result.matched_mapping_rule	
findings	result.result.<SOURCE UUID>.result.rows	
number_of_findings	result.result.<SOURCE UUID>.result.row_count	
evaluation_time	created_at	
final_action	result.final_action	
final_action_reason	result.final_action_reason	
evaluation_problems	result.evaluation_problems	
status	final_action	The status field value will match the previous <code>final_action</code> values

SourcePolicyEvaluation Changes (V1 details)

This table shows the V1 API response and the corresponding fields in the V2 output

V1	V2	Details
account_name	account_name	
policy_id	policy.id	Removed as separate field
evaluation_id	evaluation_id	
source_id	source_id	
vcs_host	host	
repository_name	repository_name	
final_action	status	Field renamed for consistency
evaluation_url	N/A	Field Removed
created_at	evaluation_time	
last_updated	N/A	Field Removed
result.account_name	account_name	Duplicated by account_name in V1
result.source_id	source_id	Duplicated by source_id in V1
result.host	host	Duplicated by vcs_host in V1
result.repository_name	repository_name	Duplicated by repository_name in V1
result.bundle	policy	
result.matched_mapping_rule	matched_mapping_rule	
result.created_at	evaluation_time	Duplicated by created_at in V1
result.last_modified	N/A	Field Removed
result.final_action	final_action	
result.final_action_reason	final_action_reason	
result.evaluation_problems	evaluation_problems	
result.status	status	Duplicated by final_action in V1
result.result.<SOURCE_ID>.result.final_action	final_action	Duplicated by result.final_action in V1
result.result.<SOURCE_ID>.result.header	N/A	Field removed, see findings for more detail

result.result.<SOURCE_ID>.result.rows	findings	The details of the policy eval findings have a new format
result.result.<SOURCE_ID>.result.row_count	number_of_findings	
result.result.policy_data	N/A	Unused in V1
result.result.policy_name	N/A	Unused in V1
result.result.allowlist_data	N/A	Unused in V1
result.result.allowlist_name	N/A	Unused in V1

SourcePolicyEvaluationFinding

The format for the individual findings has been greatly simplified into a standard object instead of the CSV in JSON format that existed previously. This instead of having `header` and `rows` fields there is a single top level `findings` which is a list of `SourcePolicyEvaluationFinding`.

Header (V1)	Column Index (V1)	Field Name (V2)	
Source_Id	0	N/A	Available in top level response
Host	1	N/A	Available in top level response
Repository Name	2	N/A	Available in top level response
Trigger_Id	3	trigger_id	
Gate	4	gate	
Trigger	5	trigger	
Check_Output	6	message	
Gate_Action	7	action	
Allowlisted	8	allowlisted allowlist_match	The <code>allowlisted</code> field will be <code>true</code> if the finding matched an <code>allowlist</code> entry. The <code>allowlist_match</code> field is only valid if <code>allowlisted</code> is <code>true</code>
Policy_Id	9	policy_id	
Recommendation	10	recommendation	
N/A	N/A	rule_id	New field

		The ID of the rule that produced this finding
--	--	---